


# Solid Tantalum Chip Capacitors TANTAMOUNT®, Commercial, Surface Mount



#### PERFORMANCE/ELECTRICAL CHARACTERISTICS

Operating Temperature: - 55  $^{\circ}$ C to + 85  $^{\circ}$ C (To + 125  $^{\circ}$ C with voltage derating)

**Capacitance Range:** 0.10 μF to 680 μF

Capacitance Tolerance: ± 20 %, ± 10 % standard

(20 % only for P case code)

100 % Surge Current Tested (D & E Case Codes)

Voltage Rating: 4 WVDC to 50 WVDC


#### **FEATURES**

- Terminations: 100 % Tin, standard SnPb available
- Compliant Terminations
- Molded case available in six case codes
- Compatible with "High Volume" automatic pick and place equipment
- · Optical character recognition qualified
- Meets IEC Specification QC300801/US0001 and EIA 535BAAC


#### **OTHER SPECIFICATIONS**

CECC		IECQ	
30801-005	793DX	PQC32/GB003	793DX
30801-009	CTC3	300801/FR001	CTC3
30801-011	CTC4		
30801-801	793DF		

293D	107	X9	010	D	2WE3
YPE	CAPACITANCE	CAPACITANCE	DC VOLTAGE RATING	CASE CODE	TERMINATION AND
		TOLERANCE	AT + 85 °C		PACKAGING
	This is expressed in picofarads. The first two digits are the significant figures. The third is the number of zeros to follow.	X9 = ± 10 % X5 = ± 5 %	This is expressed in volts. To complete the three-digit block, zeros precede the voltage rating. A decimal point is indicated by an "R" (6R3 = 6.3 volts).	and Case Codes Table.	2TE3: 100 % tin terminations, 7" (178 mm) reel 2WE3: 100 % tin terminations, 13" (330 mm) reel 8T: 90/10 SnPb Solder Plate terminations, 7" (178 mm) reel 8W: 90/10 SnPb Solder Plate terminations, 13" (330 mm) reel
	/e reserve the right to suppors in the same case size.		gs, tighter capacitance toleran		<b>Note:</b> 2T and 2W: Solderable coatings, non-preferred.




<sup>\*</sup> Pb containing terminations are not RoHS compliant, exemptions may vary





	4	٧	6.3	٧	10	V	16	S V	20	V	25	V	35	V	50	) V
μF	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.	Std.	Ext.
0.10													Α		Α	
0.15													Α		В	Α
0.22													Α		В	Α
0.33													Α		В	Α
0.47											Α		В	Α	B/C	Α
0.68									Α		Α		В	Α	С	В
1.0			Р		Р		Α		Α		В	Α	В	Α	С	В
1.5			Р		Α		Α		Α		В	Α	С	В		B/C
2.2	Р		A/P		A/P		A/B		В	Α	В	Α	С	В	D	С
3.3	A/P		A/P		A/P		A/B		В	Α	С	A*/B	С	В	D	С
4.7	A/P		A/B/P		A/B/P		В	Α	B/C	Α	С	A/B	D	С	D	
6.8	A/P		A/B/P		В	A/P	B/C	Α	С	A/B	С	В	D	С		D/E
10	A/B/P		B/C/P	Α	B/C	Α	С	A/B	С	В	D	B/C	D	С		D/E
15	В	Α	B/C	Α	С	A/B	С	В	D	B/C	D	С		D/E		
22	B/C	Α	С	A/B	С	A/B	D	B/C	D	B/C		D		D/E		
33	С	A/B	С	A/B	D	B/C	D	B/C	D	С		D/E				
47	С	A/B	D	B/C	D	B/C	D	С		D/E		Е				
68	D	B/C	D	B/C	D	B*/C		D		D/E						
100	D	B/C	D	B/C		C/D		D/E		Е						
150	D	B/C	E	C/D		D/E		D*/E								
220	Е	C/D		C/D/E		D/E										
330		D/E		D/E		Е										
470		D/E		E												
680		Е														

<sup>\*</sup> Preliminary values, contact factory for availability.





CAPACITANCE	CASE CODE	PART NUMBER	MAX. DC LEAKAGE	Max. DF AT + 25 °C	Max. ESR AT + 25 °C	Max. RIPPLI 100 kHz
(μF)		-	AT + 25 °C (μΑ)	120 Hz (%)	100 kHz (Ohms)	Irms (Amps)
	4 WVD	C AT + 85 °C, SURGE = 5.2 V	2.7 WVDC AT	+ 125 °C, SURGE	= 3.4 V	, , ,
2.2	Р	293D225X_004P2T_E3	0.5	8	12	0.02
3.3	Α	293D335X_004A2_E3	0.5	6	7.6	0.10
3.3	Р	293D335X_004P2_E3	0.5	8	12	0.02
4.7	Α	293D475X_004A2_E3	0.5	6	6.3	0.11
4.7	Р	293D475X_004P2_E3	0.5	8	6.0	0.06
6.8	Α	293D685X_004A2_E3	0.5	6	5.5	0.12
6.8	Р	293D685X_004P2_E3	0.5	10	6.0	0.06
10	Α	293D106X_004A2_E3	0.5	6	5.1	0.12
10	В	293D106X_004B2_E3	0.5	6	3.5	0.16
10	Р	293D106X_004P2_E3	0.5	10	6.0	0.06
15	Α	293D156X_004A2_E3	0.6	6	3.4	0.15
15	В	293D156X_004B2_E3	0.6	6	2.9	0.17
15	Р	293D156X_004P2_E3	0.6	6	N/A	N/A
22	Α	293D226X_004A2_E3	0.9	6	2.9	0.16
22	В	293D226X 004B2 E3	0.9	6	2.5	0.18
22	С	293D226X_004C2_E3	0.9	6	1.8	0.25
33	Ā	293D336X_004A2_E3	1.3	6	2.9	0.16
33	В	293D336X 004B2 E3	1.3	6	2.0	0.21
33	Ċ	293D336X 004C2 E3	1.3	6	1.8	0.25
47	Ă	293D476X 004A2 E3	1.9	14	2.5	0.17
47	B	293D476X 004B2 E3	1.9	6	1.9	0.21
47	Č	293D476X_004C2_E3	1.9	6	1.8	0.25
68	Ĕ	293D686X_004B2_E3	2.7	6	1.9	0.21
68	Č	293D686X 004C2 E3	2.7	6	1.4	0.28
68	Ď	293D686X_004D2_E3	2.7	6	0.8	0.43
100	В	293D107X 004B2 E3	4.0	8	1.8	0.43
100	Č	293D107X_004B2_E3 293D107X 004C2 E3	4.0	6	0.8	0.22
100	D		<b>4.0</b> 4.0	6	0. <b>8</b> 0.7	0.46
150 150	<b>B</b>	293D107X_004D2_E3	4.0 <b>6.0</b>	14	0.7 <b>1.6</b>	0.46 <b>0.23</b>
	Č	293D157X_004B2_E3		12		
150		293D157X_004C2_E3	6.0		0.7	0.40
150	D	293D157X_004D2_E3	6.0	8	0.6	0.50
220	C	293D227X_004C2_E3	8.8	8	0.7	0.40
220	Ď	293D227X_004D2_E3	8.8	8	0.6	0.50
220	E	293D227X_004E2_E3	8.8	8	0.5	0.57
330	D	293D337X_004D2_E3	13.2	8	0.6	0.50
330	Ē	293D337X_004E2_E3	13.2	8	0.5	0.57
470	₫	293D477X_004D2_E3	18.8	10	0.6	0.50
470	Ē	293D477X_004E2_E3	18.8	10	0.5	0.57
680	<u>E</u>	293D687X_004E2_E3	27.2	12	0.5	0.57
		VDC AT + 85 $^{\circ}$ C, SURGE = 8 $^{\circ}$				
1.0	Р	293D225X_6R3P2_E3	0.5	8	12	0.02
1.5	P	293D225X_6R3P2_E3	0.5	8	12	0.02
2.2	A	293D225X_6R3A2_E3	0.5	6	7.6	0.10
2.2	P	293D225X_6R3P2_E3	0.5	8	12	0.02
3.3	A	293D335X_6R3A2_E3	0.5	6	6.3	0.11
3.3	P	293D335X_6R3P2_E3	0.5	8	12	0.02
4.7	A	293D475X_6R3A2_E3	0.5	6	5.5	0.12
4.7	P	293D475X_6R3P2_E3	0.5	8	6.0	0.06
6.8	Α	293D685X_6R3A2_E3	0.5	6	5.0	0.12
6.8	В	293D685X_6R3B2_E3	0.5	6	3.4	0.16
6.8	Р	293D685X_6R3P2_E3	0.5	10	6.0	0.06
10	Α	293D106X_6R3A2_E3	0.6	6	3.4	0.15
10	В	293D106X_6R3B2_E3	0.6	6	2.9	0.17
10	Р	293D106X_6R3P2_E3	0.6	10	6.0	0.06
15	Α	293D156X_6R3A2_E3	0.9	6	2.9	0.16
15	В	293D156X_6R3B2_E3	0.9	6	2.5	0.18
15	Ċ	293D156X_6R3C2_E3	0.9	6	1.8	0.25
22	Ă	293D226X 6R3A2 E3	1.3	6	2.9	0.16
22	B	293D226X 6R3B2 E3	1.3	ő	2.0	0.21
22	Č	293D226X_6R3C2_E3	1.3	6	1.8	0.25
33	Ă	293D336X_6R3A2_E3	2.0	14	2.5	0.17
33 33	B	293D336X_6R3B2_E3	2.0	6	2.5 1.9	0.17
33 33	C	293D336X_6R3C2_E3	2.0	6	1.5	0.21
47	В	293D336A_6H3C2_E3 293D476X 6R3B2 E3	2.8	<b>6</b>	1.9	0.21
47 47	Č	293D476X_6R3B2_E3 293D476X_6R3C2_E3	2.8	6	1.4	0.21

<sup>\*</sup> Preliminary values, contact factory for availability. For 10 % tolerance, specify "9"; for 20 % tolerance, change to "0". Extended Range ratings in bold print.



_	EXTENDED	nalings				
0.4.04.015			MAX. DC	MAX. DF	MAX. ESR	MAX. RIPPL
CAPACITANCE	CASE CODE	PART NUMBER	LEAKAGE AT + 25 °C	AT + 25 °C 120 Hz	AT + 25 °C 100 kHz	100 kHz Irms
(μ <b>F</b> )			μA)	(%)	(Ohms)	(Amps)
	6.3 W	VDC AT + 85 °C, SURGE = 8			` ,	(   - /
47	D D	293D476X 6R3D2 E3	2.8	6	0.8	0.43
68	В	293D686X_6R3B2_E3	4.1	6	1.8	0.22
68	С	293D686X_6R3C2_E3	4.1	6	0.8	0.37
68	D	293D686X_6R3D2_E3	4.1	6	0.7	0.46
100	В	293D107X_6R3B2_E3	6.0	15	1.7	0.22
100	C	293D107X_6R3C2_E3	6.0	6	0.8	0.37
100	D <b>C</b>	293D107X_6R3D2_E3	6.0 <b>9.0</b>	6 <b>8</b>	0.7 <b>0.7</b>	0.46 <b>0.40</b>
150 150	Ď	293D157X_6R3C2_E3 293D157X_6R3D2_E3	9.0	8	0.6	0.50
150	D E C D	293D157X_6R3E2_E3	9.0	8	0.5	0.57
220	Ċ	293D227X_6R3C2_E3	13.9	14	0.7	0.39
220	Ď	293D227X_6R3D2_E3	13.2	8	0.6	0.50
220 330	E D E	293D227X_6R3E2_E3 293D337X_6R3D2_E3	13.2 19.8	8 8	0.5 0.6	0.57 0.50
330 330	Ĕ	293D337X_6R3D2_E3 293D337X_6R3E2_E3	19.8	8	0.5	0.57
470	Ē	293D477X_6R3E2_E3	28.2	10	0.5	0.57
	10 WV	<b>DC AT + 85 °C, SURGE = 13</b>	V 7 WVDC AT	+ 125 °C, SURGE	= 8 V	
1.0	Р	293D105X_010P2_E3	0.5	8	12	0.02
1.5	Α	293D155X_010A2_E3	0.5	6	8.0	0.10
1.5	Р	293D155X_010P2_E3	0.5	8	12	0.02
2.2	Α	293D225X_010A2_E3	0.5	6	6.3	0.11
2.2	P	293D225X_010A2_E3	0.5	8	12	0.07
3.3	Α	293D335X_010A2_E3	0.5	6	5.5	0.12
3.3	P	293D335X_010P2_E3	0.5	8	12	0.02
4.7	A	293D475X_010A2_E3	0.5	6	5.0	0.12
4.7	В	293D475X_010B2_E3	0.5	6	3.4	0.16
4.7	P	293D475X_010P2_E3	0.5	8	6.0	0.06
6.8	A	293D685X_010A2_E3	0.7	6	4.2	0.13
6.8	В	293D685X_010B2_E3	0.7	6	2.9	0.17
6.8 10	P A	293D685X_010P2_E3	0.5 1.0	8 6	6.0 3.4	0.06
10	B B	<b>293D106X_010A2_E3</b> 293D106X_010B2_E3	1.0	6	2.5	<b>0.15</b> 0.18
10	C	293D106X_010B2_E3	1.0	6	1.8	0.16
15	Ä	293D100X_01002_E3	1.5	6	2.9	0.16
15	В	293D156X_010B2_E3	1.5	6	2.0	0.21
15	C	293D156X_010C2_E3	1.5	6	1.8	0.25
22	Ă	293D226X_010A2_E3	2.2	8	2.5	0.17
22	В	293D226X_010B2_E3	2.2	6	1.9	0.21
22	Ċ	293D226X_010C2_E3	2.2	6	1.5	0.27
33	В	293D336X_010B2_E3	3.3	6	1.9	0.21
33	Ċ	293D336X_010C2_E3	3.3	6	1.4	0.28
33	D	293D336X_010D2_E3	3.3	6	0.8	0.43
47	В	293D476X_010B2_E3	4.7	6	1.8	0.22
47	С	293D476X_010C2_E3	4.7	6	1.1	0.32
47	D	293D476X_010D2_E3	4.7	6	0.7	0.46
68	С	293D686X_010C2_E3	6.8	6	1.0	0.33
68	D	293D686X_010D2_E3	6.8	6	0.7	0.46
100	Ċ	293D107X_010C2_E3	10	8	0.9	0.35
100	D	293D107X_010D2_E3	10	8	0.6	0.50
150	D	293D157X_010D2_E3	15	8	0.6	0.50
150	E	293D157X_010E2_E3	15	8	0.5	0.57
220	D	293D227X_010D2_E3	22	8	0.6	0.50
220	Ē	293D227X_010E2_E3	22	8	0.5	0.57
330	E 16 W//F	293D337X_010E2_E3	33 4 10 WVDC AT	10	0.5	0.57
1.0		OC AT + 85 °C, SURGE = 20 V				0.00
1.0	A	293D105X_016A2_E3	0.5	4	9.3	0.09
1.5	A	293D155X_016A2_E3	0.5	6	6.7	0.11
2.2	A	293D225X_016A2_E3	0.5	6	5.9	0.11
2.2	В	293D225X_016B2_E3	0.5	6	4.6 5.0	0.14
3.3	A	293D335X_016A2_E3	0.5	6	5.0	0.12
3.3	В	293D335X_016B2_E3	0.5 <b>0.8</b>	6 <b>6</b>	3.5 <b>5.0</b>	0.16 <b>0.12</b>
4.7	<b>A</b> B	<b>293D475X_016A2_E3</b> 293D475X_016B2_E3	0.8 0.8	<b>6</b>	<b>5.0</b> 2.9	0.12 0.17

<sup>\*</sup> Preliminary values, contact factory for availability. For 10 % tolerance, specify "9"; for 20 % tolerance, change to "0". Extended Range ratings in bold print.



	EXTENDED	<u> </u>				
CAPACITANCE (µF)	CASE CODE	PART NUMBER	MAX. DC LEAKAGE AT + 25 °C	MAX. DF AT + 25 °C 120 Hz	MAX. ESR AT + 25 °C 100 kHz	MAX. RIPPLE 100 kHz Irms
			(μΑ)	(%)	(Ohms)	(Amps)
		OC AT + 85 °C, SURGE = 20 V				
6.8	A	293D685X_016A2_E3	1.1	6	4.2	0.13
6.8	В	293D685X_016B2_E3	1.1	6	2.5	0.18
6.8	C	293D685X_016C2_E3	1.1	6	1.9	0.24
10	A	293D106X_016A2_E3	1.6	6	3.0	0.16
10	<b>B</b>	293D106X_016B2_E3	1.6	6	2.0	0.21
10 <b>15</b>	С <b>В</b>	293D106X_016C2_E3	1.6 <b>2.4</b>	6 <b>6</b>	1.8 <b>2.0</b>	0.25 <b>0.21</b>
15	Č	<b>293D156X_016B2_E3</b> 293D156X_016C2_E3	2.4	6	1.5	0.21
22	B	293D226X0016B2 E3	3.5	6	1.9	0.21
22	Č	293D226X_016C2_E3	3.5	6	1.4	0.28
22	D	293D226X_016D2_E3	3.5	6	0.8	0.43
33	В	293D336X0016B2 E3	5.3	6	1.8	0.22
33	С	293D336X_016C2_E3	5.3	6	1.1	0.32
33	D	293D336X_016D2_E3	5.3	6	0.7	0.46
47	С	293D476X_016C2_E3	7.5	6	1.0	0.33
47	D	293D476X_016D2_E3	7.5	6	0.7	0.46
68	D	293D686X_016D2_E3	10.9	6	0.6	0.50
100	D	293D107X_016D2_E3	16	8	0.6	0.50
100	E	293D107X_016E2_E3	16	8	0.6	0.52
150	E	293D157X_016E2_E3	24	8	0.5	0.57
0.00		OC AT + 85 °C, SURGE = 26 V				2.00
0.68	A	293D684X_020A2_E3	0.5	4	10	0.09
1.0	A	293D105X_020A2_E3	0.5	4	8.4	0.09
1.5 <b>2.2</b>	A <b>A</b>	293D155X_020A2_E3	0.5 <b>0.5</b>	6 <b>6</b>	6.3 <b>5.9</b>	0.11 <b>0.11</b>
2.2	B B	<b>293D225X_020A2_E3</b> 293D225X_020B2_E3	0.5 0.5	6	3.5	0.16
3.3	A	293D335X 020A2 E3	0.5 <b>0.7</b>	<b>6</b>	5.9	0.10 <b>0.11</b>
3.3	B	293D335X_020A2_E3 293D335X_020B2_E3	0.7	6	3.0	0.17
4.7	Ā	293D475X_020A2_E3	0.9	ő	5.0	0.12
4.7	В	293D475X_020B2_E3	0.9	6	2.9	0.17
4.7	Č	293D475X_020C2_E3	0.9	6	2.3	0.22
6.8	Å	293D685X_020A2_E3	1.4	6	4.5	0.13
6.8	В	293D685X_020B2_E3	1.4	6	2.5	0.18
6.8	С	293D685X_020C2_E3	1.4	6	1.9	0.24
10	В	293D106X_020B2_E3	2.0	6	2.5	0.18
10	С	293D106X_020C2_E3	2.0	6	1.7	0.25
15	В	293D156X_020B2_E3	3.0	6	2.3	0.19
15	Ċ	293D156X_020C2_E3	3.0	6	1.5	0.27
15	D	293D156X_020D2_E3	3.0	6	0.9	0.41
22	В	293D226X_020B2_E3	4.4	6	2.1	0.20
22	C	293D226X_020C2_E3	4.4	6	1.1	0.32
22	D	293D226X_020D2_E3	4.4	6	0.7	0.46
<b>33</b>	C	293D336X_020C2_E3	<b>6.6</b>	<b>6</b>	<b>1.0</b>	<b>0.33</b>
33 <b>47</b>	D <b>D</b>	293D336X_020D2_E3 <b>293D476X_020D2_E3</b>	6.6 <b>9.4</b>	6 <b>6</b>	0.7 <b>0.7</b>	0.46 <b>0.46</b>
47	E	293D476X_020D2_E3 293D476X 020E2 E3	9.4 9.4	6	0.6	0.52
68	D	293D476X_020E2_E3 293D686X_020D2_E3	13.6	6	0.7	0.46
68	Ē	293D686X_020E2_E3	13.6	6	0.6	0.52
100	Ē	293D107X 020E2 E3	20.0	8	0.5	0.57
		OC AT + 85 °C, SURGE = 32 V				
0.47	Α	293D474X_025A2_E3	0.5	4	12	0.08
0.68	A	293D684X_025A2_E3	0.5	4	8.4	0.09
1.0	Α	293D105X_025A2_E3	0.5	4	7.6	0.10
1.0	В	293D105X_025B2_E3	0.5	4	5.0	0.13
1.5	Α	293D155X_025A2_E3	0.5	6	6.7	0.11
1.5	В	293D155X_025B2_E3	0.5	6	4.6	0.14
2.2	Α	293D225X_025A2_E3	0.6	6	6.3	0.11
2.2	В	293D225X_025B2_E3	0.6	6	3.8	0.15
3.3	В	293D335X_025B2_E3	0.8	6	3.1	0.17
	С	293D335X_025C2_E3	0.8	6	2.3	0.22
3.3		000B4EEV 00-10 E-				
4.7 4.7	A B	293D475X_025A2_E3 293D475X_025B2_E3	1.2 1.2	6 6	5.5 2.8	0.12 0.17

<sup>\*</sup> Preliminary values, contact factory for availability. For 10 % tolerance, specify "9"; for 20 % tolerance, change to "0". Extended Range ratings in bold print.






U.A.I.DAIID	/EXTENDED	nalings				
CAPACITANCE (μF)	CASE CODE	PART NUMBER	MAX. DC LEAKAGE AT + 25 °C (μA)	MAX. DF AT + 25 °C 120 Hz (%)	MAX. ESR AT + 25 °C 100 kHz (Ohms)	MAX. RIPPLE 100 kHz Irms (Amps)
	25 WVD	OC AT + 85 °C, SURGE = 32 V .			= 20 V	· · · /
6.8	В	293D685X 025B2 E3	1.7	6	2.4	0.19
6.8	С	293D685X_025C2_E3	1.7	6	1.7	0.25
10	В	293D106X_025B2_E3	2.5	6	2.3	0.19
10	С	293D106X_025C2_E3	2.5	6	1.5	0.27
10	D	293D106X_025D2_E3	2.5	6	1.0	0.39
15	С	293D156X_025C2_E3	3.8	6	1.2	0.30
15	D	293D156X_025D2_E3	3.8	6	0.8	0.43
22	D	293D226X_025D2_E3	5.5	6	0.7	0.46
33	D	293D336X_025D2_E3	8.3	6	0.7	0.46
33	E E	293D336X_025E2_E3	8.3	6	0.6	0.52
47		293D476X_025E2_E3	11.8	6 • 105 °C SUBCE	0.6	0.52
0.10		OC AT + 85 °C, SURGE = 46 V.		·		0.00
0.10	A	293D104X_035A2_E3	0.5	4	20	0.06
0.15 0.22	A A	293D154X_035A2_E3 293D224X 035A2 E3	0.5 0.5	4 4	18 15	0.07 0.07
0.22	A	293D334X_035A2_E3	0.5 0.5	4	13	0.07
0.33 <b>0.47</b>	Ä	293D334A_035A2_E3 293D474X 035A2 E3	0.5 <b>0.5</b>	4	10	0.08 <b>0.09</b>
0.47	B	293D474X_035B2_E3 293D474X_035B2_E3	0.5	4	8	0.10
0.68	Ā	293D684X 035A2 E3	0.5	4	7.6	0.10
0.68	В	293D684X 035B2 E3	0.5	4	6.5	0.11
1.0	Ā	293D105X_035A2_E3	0.5	4	7.5	0.10
1.0	В	293D105X_035B2_E3	0.5	4	5.0	0.13
1.5	В	293D155X_035B2_E3	0.5	6	4.2	0.14
1.5	С	293D155X_035C2_E3	0.5	6	3.8	0.17
2.2	В	293D225X_035B2_E3	0.8	6	3.8	0.15
2.2	C	293D225X_035C2_E3	0.8	6	2.9	0.20
3.3	В	293D335X_035B2_E3	1.2	6	3.5	0.16
3.3	C	293D335X_035C2_E3	1.2	6	2.1	0.23
4.7	C	293D475X_035C2_E3	1.6	6	1.9	0.24
4.7	D	293D475X_035D2_E3	1.6	6	1.3	0.34
<b>6.8</b> 6.8	<b>C</b> D	293D685X_035C2_E3	<b>2.4</b> 2.4	<b>6</b> 6	<b>1.8</b> 1.1	<b>0.25</b> 0.37
1 <b>0</b>	C	293D685X_035D2_E3 293D106X 035C2 E3	3.5	6	1.6	0.37 <b>0.26</b>
10	D	293D106X_035D2_E3	3.5	6	0.8	0.43
15	Ď	293D156X 035D2 E3	5.3	6	0.7	0.46
15	Ē	293D156X 035E2 E3	5.3	6	0.7	0.49
22	D	293D226X_035D2_E3	7.7	6	0.6	0.52
22	Ē	293D226X 035E2 E3	7.7	6	0.6	0.52
	50 WVD	OC AT + 85 °C, SURGE = 65 V .	33 WVDC AT	+ 125 °C, SURGE	= 40 V	
0.10	Α	293D104X_050A2_E3	0.5	4	19	0.06
0.15	Α	293D154X_050A2_E3	0.5	4	17	0.07
0.15	В	293D154X_050B2_E3	0.5	4	14	0.08
0.22	A	293D224X_050A2_E3	0.5	4	15	0.07
0.22	В	293D224X_050B2_E3	0.5	4	12	0.08
0.33	A	293D334X_050A2_E3	0.5	4	14	0.07
0.33	В	293D334X_050B2_E3	0.5	4	10	0.09
0.47	A	293D474X_050A2_E3	<b>0.5</b>	4	<b>12</b>	0.08
0.47	B C	293D474X_050B2_E3	0.5	4	8.4	0.10
0.47	<b>B</b>	293D474X_050C2_E3 <b>293D684X_050B2_E3</b>	0.5 <b>0.5</b>	4 <b>4</b>	6.7 <b>7.6</b>	0.13 <b>0.11</b>
<b>0.68</b>	C	293D684X_050C2_E3	0.5 0.5	4	7. <b>6</b> 5.9	0.11
0.68 <b>1.0</b>	B	293D105X_050B2_E3	0.5 0.5	4	6.7	0.14
1.0 1.0	C	293D105X_050B2_E3 293D105X_050C2_E3	0.5	4	4.6	0.16
1.5	B	293D155X_050B2_E3	0.8	6	6.0	0.12
1.5	Č	293D155X_050C2_E3	0.8	6	3.4	0.18
2.2	Č	293D225X_050C2_E3	1.1	6	2.9	0.20
2.2	Ď	293D225X_050D2_E3	1.1	6	2.1	0.27
3.3	Ċ	293D335X_050C2_E3	1.7	6	2.5	0.21
3.3	D	293D335X_050D2_E3	1.7	6	1.7	0.30
4.7	D	293D475X_050D2_E3	2.4	6	1.2	0.37
6.8	D	293D685X_050D2_E3	3.4	6	0.9	0.41
	E	293D685X_050E2_E3	3.4	6	0.9	0.43
6.8 10	D	293D106X_050D2_E3	5.0	6	0.8	0.43

<sup>\*</sup> Preliminary values, contact factory for availability. For 10 % tolerance, specify "9"; for 20 % tolerance, change to "0". Extended Range ratings in bold print.







# Solid Tantalum Chip Capacitors TANTAMOUNT®, Commercial, Surface Mount

### Vishay Sprague

#### **PERFORMANCE CHARACTERISTICS**

- Operating Temperature: Capacitors are designed to operate over the temperature range - 55 °C to + 85 °C.
- 1.1 Capacitors may be operated to + 125 °C with voltage derating to two-thirds the + 85 °C rating.


+ 85 °C	Rating	+ 125 °C Rating				
Working Voltage (V)	Surge Voltage (V)	Working Voltage (V)	Surge Voltage (V)			
4.0	5.2	2.7	3.4			
6.3	8.0	4.0	5.0			
10	13	7.0	8.0			
16	20	10	12			
20	26	13	16			
25	32	17	20			
35	46	23	28			
50	65	33	40			

- 2. **DC Working Voltage:** The DC working voltage is the maximum operating voltage for continuous duty at the rated temperature.
- 3 **Surge Voltage:** The surge DC rating is the maximum voltage to which the capacitors may be subjected under any conditions, including transients and peak ripple at the highest line voltage.
- 3.1 Surge Voltage Test: Capacitors shall withstand the surge voltage applied in series with a 33 ohm  $\pm$  5 % resistor at the rate of one-half minute on, one-half minute off, at + 85 °C, for 1000 successive test cycles.
- 3.2 Following the surge voltage test, the dissipation factor and the leakage current shall meet the initial requirements; the capacitance shall not have changed more than  $\pm$  10 %.
- Capacitance Tolerance: The capacitance of all capacitors shall be within the specified tolerance limits of the normal rating.
- 4.1 Capacitance measurements shall be made by means of polarized capacitance bridge. The polarizing voltage shall be of such magnitude that there shall be no reversal of polarity due to the AC component. The maximum voltage applied to capacitors during measurement shall be 2 volts rms at 120 Hz at + 25 °C. If the AC voltage applied is less than one-half volt rms, no DC bias is required. Accuracy of the bridge shall be within ± 2 %.
- 5. Capacitance Change With Temperature: The capacitance change with temperature shall not exceed the following percentage of the capacitance measured at + 25 °C:

- 55 °C	+ 85 °C	+ 125 °C
- 10 %	+ 10 %	+ 12 %

- 6. **Dissipation Factor:** The dissipation factor, determined from the expression  $2\pi fRC$ , shall not exceed values listed in the Standard Ratings Table.
- 6.1 Measurements shall be made by the bridge method at, or referred to, a frequency of 120 Hz and a temperature of + 25 °C.
- 7. **Leakage Current:** Capacitors shall be stabilized at the rated temperature for 30 minutes. Rated voltage shall be applied to capacitors for 5 minutes using a steady source of power (such as a regulated power supply) with 1000 ohm resistor connected in series with the capacitor under test to limit the charging current. Leakage current shall then be measured.

Note that the leakage current varies with temperature and applied voltage. See graph below for the appropriate adjustment factor.



- 7.1 At + 25°C, the leakage current shall not exceed the value listed in the Standard Ratings Table.
- 7.2 **At + 85°C**, the leakage current shall not exceed 10 times the value listed in the Standard Ratings Table.
- 7.3 **At + 125°C**, the leakage current shall not exceed 12 times the value listed in the Standard Ratings Table.

# Solid Tantalum Chip Capacitors TANTAMOUNT®, Commercial, Surface Mount



#### PERFORMANCE CHARACTERISTICS (Continued)

- 8. **ESR**
- 8.1 ESR (Equivalent Series Resistance) shall not exceed the values listed in the Ratings Table. Measurement shall be made by the bridge method at a frequency of 100 kHz and a temperature of + 25 °C.
- Life Test: Capacitors shall withstand rated DC voltage applied at + 85 °C or two-thirds rated voltage applied at + 125 °C for 1000 hours.
- 9.1 Following the life test, the dissipation factor shall meet the initial requirement; the capacitance change shall not exceed ± 10 %; the leakage current shall not exceed 125 % of the initial requirement.
- Vibration Tests: Capacitors shall be subjected to vibration tests in accordance with the following criteria.
- 10.1 Capacitors shall be secured for test by means of a rigid mounting using suitable brackets.
- 10.2 **Low Frequency Vibration:** Vibration shall consist of simple harmonic motion having an amplitude of 0.03" [0.76 mm] and a maximum total excursion of 0.06" [1.52 mm], in a direction perpendicular to the major axis of the capacitors.
- 10.2.1 Vibration frequency shall be varied uniformly between the approximate limits of 10 Hz to 55 Hz during a period of approximately one minute, continuously for 1.5 hours.
- 10.2.2 An oscilloscope or other comparable means shall be used in determining electrical intermittency during the final 30 minutes of the test. The AC voltage applied shall not exceed 2 volts rms.
- 10.2.3 Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests.
- 10.2.4 Following the low frequency vibration test, capacitors shall meet the original requirements for capacitance, dissipation factor and leakage current.
- 10.3 High Frequency Vibration: Vibration shall consist of a simple harmonic motion having an amplitude of 0.06" [1.52] ± 10 % maximum total excursion or 20 g peak whichever is less.
- 10.3.1 Vibration frequency shall be varied logarithmically from 50 Hz to 2000 Hz and return to 50 Hz during a cycle period of 20 minutes.
- 10.3.2 The vibration shall be applied for 4 hours in each of 2 directions, parallel and perpendicular to the major axis of the capacitors.
- 10.3.3 Rated DC voltage shall be applied during the vibration cycling.
- 10.3.4 An oscilloscope or other comparable means shall be used in determining electrical intermittency during the

- last cycle. The AC voltage applied shall not exceed 2 volts rms.
- 10.3.5 Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests
- 10.3.6 There shall be no mechanical damage to these capacitors as a result of these tests.
- 10.3.7 Following the high frequency vibration test, capacitors shall meet the original limits for capacitance, dissipation factor and leakage current.

#### 11. Acceleration Test:

- 11.1 Capacitors shall be rigidly mounted by means of suitable brackets.
- 11.2 Capacitors shall be subjected to a constant acceleration of 100 g for a period of 10 seconds in each of 2 mutually perpendicular planes.
- 11.2.1 The direction of motion shall be parallel to and per-pendicular to the longitudinal axis of the capacitors.
- 11.3 Rated DC voltage shall be applied during acceleration test.
- 11.3.1 An oscilloscope or other comparable means shall be used in determining electrical intermittency during test. The AC voltage applied shall not exceed 2 volts rms
- 11.4 Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests.
- 11.5 There shall be no mechancial damage to these capacitors as a result of these tests.
- 11.6 Following the acceleration test, capacitors shall meet the original limits for capacitance, dissipation factor and leakage current.

#### 12. Shock Test:

- 12.1 Capacitors shall be rigidly mounted by means of suitable brackets. The test load shall be distributed uniformly on the test platform to minimize the effects of unbalanced loads.
- 12.1.1 Test equipment shall be adjusted to produce a shock of 100 g peak with the duration of 6 mS and sawtooth waveform at a velocity change of 9.7 ft./sec.
- 12.2 Capacitors shall be subjected to 3 shocks applied in each of 3 directions corresponding to the 3 mutually perpendicular axes of the capacitors.
- 12.3 Rated DC voltage shall be applied during test.
- 12.3.1 An oscilloscope or other comparable means shall be used in determining electrical intermittency during tests. The replacement voltage applied shall not exceed 2 volts rms.



# Solid Tantalum Chip Capacitors TANTAMOUNT®, Commercial, Surface Mount

### Vishay Sprague

#### **PERFORMANCE CHARACTERISTICS (Continued)**

- 12.4 Electrical tests shall show no evidence of intermittent contacts, open circuits or short circuits during these tests.
- 12.5 There shall be no mechanical damage to these capacitors as a result of these tests.
- 12.6 Following the shock test, capacitors shall meet the original limits for capacitance, dissipation factor and leakage current.

#### 13. Moisture Resistance:

- 13.1 Capacitors shall be subjected to temperature cycling at 90 % to 95 % relative humidity, from + 25 °C to + 65 °C to + 25 °C (+ 10 °C, 2 °C) over a period of 8 hours per cycle for 1000 hours.
- 13.2 Following the moisture resistance test, the leakage current and dissipation factor shall meet the initial requirements, and the change in capacitance shall not exceed ±10%.

#### 14. Thermal Shock:

- 14.1 Capacitors shall be conditioned prior to temperature cycling for 15 minutes at + 25 °C, at less than 50 % relative humidity and a barometric pressure at 28 to 31"
- 14.2 Capacitors shall be subjected to thermal shock in a cycle of exposure to ambient air at :
  - 55 °C (+ 0 °C,- 5 °C) for 30 minutes, then
  - + 25 °C (+ 10 °C, 5 °C) for 5 minutes, then
  - + 125 °C (+ 3 °C, 0 °C) for 30 minutes, then
  - + 25 °C (+ 10 °C, 5 °C) for 5 minutes for 5 cycles.
- 14.3 Capacitors shall show no evidence of harmful or extensive corrosion, obliteration of marking or other visible damage.
- 14.4 Following the thermal shock test, capacitors shall meet the original requirements for leakage current and dissipation factor. Capacitance change shall not exceed ± 5 % of the original measured value.

#### 15. Soldering Compatibility:

- 15.1 **Resistance to Solder Heat:** Capacitors will withstand exposure to + 260 °C + 5 °C for 10 seconds.
- 15.1.1 Following the resistance to soldering heat test, capacitance, dissipation factor and DC leakage current shall meet the initial requirement.
- 15.2 Solderability: Capacitors will meet the solderability requirements of ANSI/J-STD-002, Test B, Category 3.
- 16. **Terminal Strength:** Per UEC-384-3, minimum of 5N shear force.
- 17. **Environmental:** Mercury, CFC and ODS materials are not used in the manufacture of these capacitors.

- 18. **Flammability:** Encapsulant materials meet UL94 V0 with an oxygen index of 32 %.
- 19. Capacitor Failure Mode: The predominant failure mode for solid tantalum capacitors is increased leakage current resulting in a shorted circuit. Capacitor failure may result from excess forward or reverse DC voltage, surge current, ripple current, thermal shock or excessive temperature.

The increase in leakage is caused by a breakdown of the  $Ta_2O_5$  dielectric. For additional information on leakage failure of solid tantalum chip capacitors, refer to Vishay Sprague Technical Paper, "Leakage Failure Mode in Solid Tantalum Chip Capacitors."

20. **Surge Current:** All D and E case code 293D capacitors are 100 % surge current tested at + 25 °C and rated voltage. The total series circuit resistance is 0.5 ohms. Each charge cycle of 0.10 seconds is followed by a discharge cycle of 0.10 seconds. Three surge cycles are applied. Each capacitor is tested individually to maximize the peak charging current.

#### **GUIDE TO APPLICATION**

1. Recommended rated working voltage guidelines: (- 55 °C to + 85 °C)

Standard Conditions, for example; output filters

Capacitor Voltage Rating (V)	Operating Voltage (V)
4.0	2.5
6.3	3.6
10	6.0
16	10
20	12
25	15
35	24
50	28

Severe Conditions, for example; input filters

Capacitor Voltage Rating (V)	Operating Voltage (V)
4.0	2.5
6.3	3.3
10	5.0
16	8.0
20	10
25	12
35	15
50	24

 A-C Ripple Current: The maximum allowable ripple current shall be determined from the formula:

$$I_{rms} = \sqrt{\frac{P}{R_{ESR}}}$$

where,

P = Power Dissipation in Watts at + 25 °C as given in the table in Paragraph Number 5 (Power Dissipation)

R<sub>ESR</sub> = The capacitor Equivalent Series Resistance at the specified frequency.

# Solid Tantalum Chip Capacitors TANTAMOUNT®, Commercial, Surface Mount



#### **GUIDE TO APPLICATION** (Continued)

3. **A-C Ripple Voltage:** The maximum allowable ripple voltage shall be determined from the formula:

$$V_{rms} = Z \sqrt{\frac{P}{R_{FSR}}}$$

or, from the formula:

$$V_{rms} = I_{rms} \times Z$$

where,

P = Power Dissipation in Watts at + 25 °C as given in the table in Paragraph Number 5

(Power Dissipation).

R<sub>ESR</sub> = The capacitor Equivalent Series

Resistance at the specified frequency.

Z = The capacitor impedance at the specified frequency.

- 3.1 The sum of the peak AC voltage plus the applied DC voltage shall not exceed the DC voltage rating of the capacitor.
- 3.2 The sum of the negative peak AC voltage plus the applied DC voltage shall not allow a voltage reversal exceeding 10 % of the DC working voltage at + 25 °C.
- 4. **Reverse Voltage:** These capacitors are capable of withstanding peak voltages in the reverse direction equal to 10 % of the DC rating at + 25 °C, 5 % of the DC rating at + 85 °C and 1 % of the DC rating at + 125 °C.
- 5. **Temperature Derating:** If these capacitors are to be operated at temperatures above + 25 °C, the permissible rms ripple current or voltage shall be calculated using the derating factors as shown:

Temperature	Derating Factor
+ 25 °C	1.0
+ 85 °C	0.9
+ 125 °C	0.4

6. Power Dissipation: Power dissipation will be affected by the heat sinking capability of the mounting surface. Non-sinusoidal ripple current may produce heating effects which differ from those shown. It is important that the equivalent Irms value be established when calculating permissible operating levels. (Power Dissipation calculated using + 25 °C temperature rise.)

Case Code	Maximum Permissible Power Dissipation at + 25 °C (Watts) in free air		
Α	0.075		
В	0.085		
С	0.110		
D	0.150		
E	0.165		

- Printed Circuit Board Materials: Type 293D capacitors are compatible with commonly used printed circuit board materials (alumina substrates, FR4, FR5, G10, PTFE-fluorocarbon and porcelanized steel).
- 8. Attachment:
- 8.1 **Solder Paste:** The recommended thickness of the solder paste after application is 0.007" ± 0.001" [0.178 mm ± 0.025 mm]. Care should be exercised in selecting the solder paste. The metal purity should be as high as practical. The flux (in the paste) must be active enough to remove the oxides formed on the metallization prior to the exposure to soldering heat. In practice this can be aided by extending the solder preheat time at temperatures below the liquidous state of the solder.
- 8.2 **Soldering:** Capacitors can be attached by conventional soldering techniques; vapor phase, convection reflow, infrared reflow, wave soldering and hot plate methods. The Soldering Profile charts show recommended time/temperature conditions for soldering. Preheating is recommended. The recommended maximum ramp rate is 2 °C per second. Attachment with a soldering iron is not recommended due to the difficulty of controlling temperature and time at temperature. The soldering iron must never come in contact with the capacitor.
- 8.2.1 Backward and Forward Compatibility: Capacitors with SnPb or 100 % tin termination finishes can be soldered using SnPb or lead (Pb)-free soldering processes.
- 9. Cleaning (Flux Removal) After Soldering: The 293D is compatible with all commonly used solvents such as TES, TMS, Prelete, Chlorethane, Terpene and aqueous cleaning media. However, CFC/ODS products are not used in the production of these devices and are not recommended. Solvents containing methylene chloride or other epoxy solvents should be avoided since these will attack the epoxy encapsulation material.
- 9.1 When using ultrasonic cleaning, the board may resonate if the output power is too high. This vibration can cause cracking or a decrease in the adherence of the termination. DO NOT EXCEED 9W/I at 40 kHz for 2 minutes.




# VISHAY.


# Solid Tantalum Chip Capacitors TANTAMOUNT®, Commercial, Surface Mount

Vishay Sprague

#### **GUIDE TO APPLICATION (Continued)**




10. Recommended Mounting Pad Geometries: Proper mounting pad geometries are essential for successful solder connections. These dimensions are highly process sensitive and should be designed to minimize component rework due to unacceptable solder joints. The dimensional configurations shown are the recommended pad geometries for both wave and reflow soldering techniques. These dimensions are intended to be a starting point for circuit board designers and may be fine tuned if necessary based upon the peculiarities of the soldering process and/or circuit board design.




### Solid Tantalum Chip Capacitors TANTAMOUNT®, Commercial, Surface Mount






TAPE SIZE	B <sub>1</sub> (Max.)	D <sub>1</sub> (Min.)	F	K (Max.)	Р	w	$A_0B_0K_0$	
8 mm	0.165 [4.2]	0.039 [1.0]	$0.138 \pm 0.002$ $[3.5 \pm 0.05]$	0.094 [2.4]	$0.157 \pm 0.004$ [4.0 ± 1.0]	$0.315 \pm 0.012$ $[8.0 \pm 0.30]$	<b>Notes:</b> $A_0B_0K_0$ are determined by component size. The clearance between the component and the cavity	
12 mm	0.323 [8.2]	0.059 [1.5]	0.217 ± 0.002 [5.5 ± 0.05]	0.177 [4.5]	0.315 ± 0.004 [8.0 ± 1.0]	0.472 ± 0.012 [12.0 ± 0.30]	must be within 0.002" [0.05 mm] minimum to 0.020" [0.50 mm] maximum for 8 mm tape and 0.002" [0.05 mm] minimum to 0.026" [0.65 mm] maximum for 12 mm tape.	



Tape and Reel Specifications: All case codes are available on plastic embossed tape per EIA-481-1. Standard reel diameter is 13" [330 mm]. 7" [178 mm] reels are available.

The most efficient packaging quantities are full reel increments on a given reel diameter. The quantities shown allow for the sealed empty pockets required to be in conformance with EIA-481-1. Reel size must be specified in the Vishay Sprague part number.



	Tape Width	_	Units Per Reel		
Case Code		Component Pitch	7" [178 mm] Reel	13" [330 mm] Reel	
Α	8 mm	4 mm	2000	9000	
В	B 8 mm		2000	8000	
С	C 12 mm		500	3000	
D	12 mm	8 mm	500	2500	
E 12 mm		8 mm	400	1500	
Р	8 mm	4 mm	3000	10000	

## **Legal Disclaimer Notice**



Vishay

### **Notice**

Specifications of the products displayed herein are subject to change without notice. Vishay Intertechnology, Inc., or anyone on its behalf, assumes no responsibility or liability for any errors or inaccuracies.

Information contained herein is intended to provide a product description only. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Vishay's terms and conditions of sale for such products, Vishay assumes no liability whatsoever, and disclaims any express or implied warranty, relating to sale and/or use of Vishay products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright, or other intellectual property right.

The products shown herein are not designed for use in medical, life-saving, or life-sustaining applications. Customers using or selling these products for use in such applications do so at their own risk and agree to fully indemnify Vishay for any damages resulting from such improper use or sale.

www.vishay.com Revision: 08-Apr-05