RWR Military



Vishay Dale

Wirewound Resistors, Military/Established Reliability, MIL-PRF-39007 Qualified, Type RWR, R Level, Axial Lead



STANDARD ELECTRICAL SPECIFICATIONS

- High temperature silicone coated
- Complete welded construction
- Qualified to MIL-PRF-39007
- Available in non-inductive styles (type N) with Aryton-Perry winding for lowest reactive components
- "S" level failure rate available •
- Note
 "Terminal Wire and Winding" type "W" and "Z" are not listed below but are available upon request. Please reference MIL-PRF-39007 QPL for approved "failure rate" and "resistance tolerance/ranges"

MILITARY MO	DEI VISH	AY REFEREN	ICE POWER RATING	RESISTANCE RANGE Ω ± 0.1 %	RESISTANCE RANGE Ω ± 0.5 %, ± 1 %	WEIGHT (typical) g		
		MODEL	<i>P</i> _{25 °C} W					
		EGS-1-80	1	0.499 to 1K	0.1 to 1K	0.21		
		EGN-1-80	1	0.499 to 499	0.1 to 499	0.21		
RWR82S E		EGS-2	2	0.499 to 1.3K	0.1 to 1.3K	0.23		
		EGN-2	2	0.499 to 649	0.1 to 649	0.23		
RWR80S EG		EGS-3-80	2	0.499 to 3.16K	0.1 to 3.16K	0.34		
		EGN-3-80	2	0.499 to 1.58K	0.1 to 1.58K	0.34		
RWR71S ES		ESS-2A	2	0.499 to 12.1K	0.1 to 12.1K	0.90		
		ESN-2A	2	0.499 to 6.04K	0.1 to 6.04K	0.90		
		ESS-2B	3	0.499 to 4.12K	0.1 to 4.12K	0.70		
		ESN-2B	3	0.499 to 2.05K	0.1 to 2.05K	0.70		
		ESS-5	5	0.499 to 12.1K	0.1 to 12.1K	4.2		
RWR74N		ESN-5	5	0.499 to 6.04K	0.1 to 6.04K	4.2		
RWR84S		EGS-10-80	7	0.499 to 12.4K	0.1 to 12.4K	3.6		
-		EGN-10-80	7	0.499 to 6.19K	0.1 to 6.19K	3.6		
RWR78S		ESS-10	10	0.499 to 39.2K	0.1 to 39.2K	9.0		
RWR78N		ESN-10	10	0.499 to 19.6K	0.1 to 19.6K	9.0		
TECHNICAL SPECIFIC		UNIT	IT RWR RESISTOR CHARACTERISTICS					
Temperature Coefficient			°C ± 20 for 10 Ω and above; ± 50 for 1.1 Ω to 10 Ω ; ± 400 for 0.505 Ω to 1 Ω ; ± 650 for 0.1 Ω to 0.499 s					
Dielectric Withstanding Voltage		age V _{AC}	500 minimum for 2 W and smaller, 1000 minimum for 3 W and larger 5 x rated power for 5 s for 3 W size and smaller,					
Short Time Overload		-	10 x rated power for 5 s for 3 W size and smaller,					
Maximum Working Voltage		V	(P x R) ^{1/2}					
Insulation Resistance			1000 M Ω minimum dry, 100 M Ω minimum after moisture test					
Terminal Strength		lb	5 minimum for 2 W and smaller, 10 minimum for 3 W and larger					
Solderability	-	-	Meets requirements of ANSI J-STD-002					
Operating Tem	perature Ran	ige °C	- 65 to + 250					
	-							
Global Part N	Impering ex	ample: RWR/	74S49R9FSB12					
	RV	V R 7	' 4 S 4	9 R 9 F	S B 1 2			
	BMINAL WIR		NG RESISTANCE VALL	JE TOLERANCE CODE	FAILURE RATE PACI	KAGING COE		
RWR71 RWR74 N		ble, inductive e, non-inducti				2 = Bulk pacł 0 = Tape/reel		
		le, inductive ⁽¹)	$\mathbf{F} = \pm 0.5 \%$ $\mathbf{F} = \pm 1.0 \%$		aller than 5 W		
		non-inductive	(1) 49R9 = 49.9 Ω			3 = Tape/reel		
RWR81			1000 = 100 Ω 1001 = 1000 Ω		(5 V	N and higher		
RWR82			$1001 = 1000 \Omega$		BSL	= Bulk pack		
RWR84					- 5	e lot date coo		
RWR89						L = Tape/reel		
					single	e lot date coo		

Note
⁽¹⁾ Note that "W" and "Z" are not listed above but are available, see MIL-PRF-39007 QPL for available resistance values.

Revision: 12-Sep-11


Document Number: 30203

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishay.com/doc?91000



Vishay Dale

DIMENSIONS in inches [millimeters]



MILITARY MODEL	DIMENSIONS in inches [millimeters]					
WILLIART WODEL	Α	В	С			
RWR81	0.250 ± 0.031 [6.35 ± 0.787]	0.085 ± 0.020 [2.16 ± 0.508]	0.020 ± 0.0015 [0.508 ± 0.038]			
RWR82	0.312 ± 0.016 [7.92 ± 0.406]	0.078 + 0.016 - 0.031 [1.98 + 0.406 - 0.787]	0.020 ± 0.0015 [0.508 ± 0.038]			
RWR80	0.406 ± 0.031 [10.31 ± 0.787]	0.094 ± 0.031 [2.39 ± 0.787]	0.020 ± 0.0015 [0.508 ± 0.038]			
RWR71	0.812 ± 0.062 [20.62 ± 1.58]	0.187 ± 0.031 [4.75 ± 0.787]	0.032 ± 0.002 [0.813 ± 0.051]			
RWR89	0.560 ± 0.062 [14.22 ± 1.58]	0.187 ± 0.031 [4.75 ± 0.787]	0.032 ± 0.002 [0.813 ± 0.051]			
RWR74	0.875 ± 0.062 [22.23 ± 1.58]	0.312 ± 0.031 [7.92 ± 0.787]	0.040 ± 0.002 [1.02 ± 0.051]			
RWR84	0.875 ± 0.062 [22.23 ± 1.58]	0.312 ± 0.031 [7.92 ± 0.787]	0.040 ± 0.002 [1.02 ± 0.051]			
RWR78	1.780 ± 0.062 [45.21 ± 1.58]	0.312 ± 0.031 [7.92 ± 0.787]	0.040 ± 0.002 [1.02 ± 0.051]			

Note

⁽¹⁾ On some standard reel pack methods, the leads may be trimmed to a shorter length than shown.

MATERIAL SPECIFICATIONS

Element: Copper-nickel alloy or nickel-chrome alloy, depending on resistance value

Core: Ceramic, beryllium oxide, steatite or alumina, depending on power requirement

Coating: Special high temperature silicone


Terminal and Winding: The terminal and the winding are identified by a letter symbol in the military type designation.

- Military symbol:
- **S** = Solderable, inductively wound
- **W** = Weldable, inductively wound
- N = Solderable, non-inductively wound
- Z = Weldable, non-inductively wound

Terminals: Solderable - Tinned Copperweld[®] Weldable - bare nickel per MIL-STD-1276, Type N-1 **End Caps:** Stainless steel

Part Marking: Source code, JAN, military PIN, date/lot code

DERATING



PERFORMANCE					
TEST	CONDITIONS OF TEST	TEST LIMITS			
Thermal Shock	MIL-STD-2.2, method 303	± (0.2 % + 0.005 Ω) ΔR			
Short Time Overload	5 x rated power (RWR71, RWR80, RWR81, RWR89, RWR82), 10 x rated power (RWR74, RWR78, RWR84) for 5 s	\pm (0.2 % + 0.005 Ω) Δ <i>R</i>			
Dielectric Withstanding Voltage	500 V _{rms} (RWR80, RWR81, RWR82), 1000 V _{rms} (RWR71, RWR74, RWR78, RWR84, RWR89), 1 min duration	± (0.1 % + 0.005 Ω) Δ <i>R</i>			
Low Temperature Storage	- 65 °C for 24 h	\pm (0.1 % + 0.005 Ω) Δ <i>R</i>			
High Temperature Exposure	250 °C for 2000 h	± (1.0 % + 0.005 Ω) ΔR ⁽²⁾			
Moisture Resistance	MIL-STD-202, method 106	\pm (0.2 % + 0.005 Ω) Δ <i>R</i>			
Shock, Specified Pulse	MIL-STD-202, method 213, condition 1	± (0.1 % + 0.005 Ω) ΔR			
Vibration, High Frequency	MIL-STD-202, method 204, condition D	\pm (0.1 % + 0.005 Ω) Δ <i>R</i>			
Load Life	2000 h at rated power, + 25 °C, 1.5 h "ON", 0.5 h "OFF"	\pm (0.5 % + 0.005 Ω) Δ <i>R</i>			
Extended Life	10 000 h at rated power, + 25 °C, 1.5 h "ON", 0.5 h "OFF"	± (1.0 % + 0.005 Ω) Δ <i>R</i>			
Terminal Strength	MIL-STD-202, method 211, condition A and C 5 pound (RWR80, RWR81, RWR82), 10 pound (RWR71, RWR74, RWR78, RWR84, RWR89)	± (0.1 % + 0.005 Ω) Δ <i>R</i>			

Note

⁽²⁾ For resistance values above 100 Ω , test limit is ± 1.0 %.



Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and/or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk and agree to fully indemnify and hold Vishay and its distributors harmless from and against any and all claims, liabilities, expenses and damages arising or resulting in connection with such use or sale, including attorneys fees, even if such claim alleges that Vishay or its distributor was negligent regarding the design or manufacture of the part. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

Material Category Policy

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as RoHS-Compliant fulfill the definitions and restrictions defined under Directive 2011/65/EU of The European Parliament and of the Council of June 8, 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE) - recast, unless otherwise specified as non-compliant.

Please note that some Vishay documentation may still make reference to RoHS Directive 2002/95/EC. We confirm that all the products identified as being compliant to Directive 2002/95/EC conform to Directive 2011/65/EU.