Chemtronics

| | | | | | | CHM3 |
|----------------|----------|------------|------------|-----|-----|------|
| | Mftrs. | | Price Each | | | |
| | List No. | Order Code | 1+ | 12+ | 36+ | 144+ |
| 200ml Aerosol | MCF200 | .891-204 | | | | |
| 400ml Aerosol | MCF400 | .891-216 | | | | |
| 200ml Aerosol | FRE200 | .891-228 | | | | |
| 400ml Aerosol | FRE400 | .891-230 | | | | |
| Invertible | | | | | | |
| 200ml Aerosol | EADI200D | .249-713 | | | | |
| Non-Invertible | | | | | | |
| 200ml Aerosol | EAD200D | 130-631 | | | | |
| 400ml Aerosol | EAD400D | .249-737 | | | | |
| | | | | | | |

High Power Airdusters



GDP400 Airduster

- High power, cost effective Airduster
- Powerful initial blast with minimal drop off
- Use to remove dust from delicate and inaccessible areas
- Non-flammable, pure compressed gas
- Do not tilt more than 60° from the vertical and use in short bursts

FADP Airduster

- Ultra high power airduster
- High pressure blast for removing particularly stubborn dust
- Pure, inert compressed gas
- Non-flammable
- Do not tilt more than 60° from the vertical

| | | | | | | | CHM32 |
|--------------|----------|------------|----|-------|------|------|-------|
| | Mftrs. | | | Price | Each | | |
| | List No. | Order Code | 1+ | 10+ | 50+ | 100+ | |
| 400g Aerosol | GDP400 | 130-424 | | | | | |
| 470g Aerosol | EADP400 | 302-6840 | | | | | |

Airdusters





Dusters remove dust, dirt and other dry contaminants from all kinds of surfaces. Ultraiet dusters can be used to economize on solvent usage by removing layers of dry particulate first so the solvent can work immediately on the more difficult-toremove soils

Dusters can be used to clean:

- Printed circuit boards
- Photographic equipment
- Off equipment
- Electronic instruments
- Contacts & connectors

Ultrajet® Duster & Ultrajet® All-Way Duster

- Non-flammable
- Made with HFC-134a
- Safe on plastics
- Leaves no contaminating residue
- Biggest blast of any duster
- All Way Duster can be sprayed in any direction, even inverted, without the risk of dispensing a liquid spray that can freeze or damage sensitive surfaces

Duster

- Economical, regular strength duster
- Safe on plastics
- non-flammable
- Ozone safe, CFC/HCFC free
- Made with HFC-134a

| Duster Product | Features | |
|--------------------------|----------|-----------------------------|
| | Power | Invertable All Way Spray |
| Ultrajet® Duster | Х | |
| Ultrajet® All-Way Duster | Х | 1 |
| Duster | R | |

R = Regular X = Extra Cleaning Strength

CHM177 **Price Each** Mftrs 72+ Size List No. Order Code 12 +36+ ES1520E 860-438 Ultrajet® 400ml Ultaset® All-Way 200ml ES1620E 128-818 Duster 400ml ES1617E 153-540

Antistat and Freez-It®

Electrochemicals, Service Aids & Paints

Freez-It® Antistat

- Non-flammable
- Leaves no residues
- Non abrasive Fast cooling to -50°C
- Contains no ozone depleting compounds
- Anti-static option minimises generation of static electricity
- Suitable to use as heat sink protection during soldering/desoldering and testing thermosensitive components

400ml Aerosol

Freez-It®

- Quickly lowers temperature to -51°C
- Non flammable
- Ultra-Pure formulation leaves no residue
- Nonabrasive, safe for most surfaces
- Contains no ozone depleting components

Made with HFC134a

| | | | | | | UNIVITO/ |
|----------------|----------|------------------------|--------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------|--------------------------------------------------------------------|
| | Mftrs. | | Price Each | | | |
| | List No. | Order Code | 1+ | 12+ | 36+ | 72+ |
| ez-It | ES1550E | 860-440 | | | | |
| ez-It Antistat | ES1551E | 860-451 | | | | |
| | | List No. ez-It ES1550E | List No. Order Code ez-It ES1550E 860-440 | List No. Order Code 1+ ez-It ES1550E 860-440 | List No. Order Code 1+ 12+ ez-lt ES1550E 860-440 | List No. Order Code 1+ 12+ 36+ ez-It ES1550E 860-440 |

Rework Solder Flux - SMFL



200ml aerosol

- Quick drying aerosol flux for aiding rework of surface mount assemblies
- Use prior to desoldering to aid removal of excess solder paste from boards and resoldering new components
- Provides excellent solderability
- Non tacky, non corrosive residue can be removed using solvent cleaners see page 600
- Spray flux can also be used as an anti-tarnish, protective film on copper or tinned

CONTAINS: CO2

Flammable contents, do not use on live equipment or near any source of ignition, use in a well ventilated area

Please check with Sales Office for availability

Order Code

298-311.

Price Each 5+ 12+

ROCOL

Gas Leak Detector Spray

Mftrs. List No.



Mftrs. List No.

32030

- Aqueous based fluid
- Detects positive pressure gas
- Foams at location of leak when sprayed on suspect

CONTAINS: CO2

Operating temperature 0°C to +50°C

300ml Aerosol

| 71010001 | | | CHM110 |
|----------|--------------|-----------------|------------|
| 1+ | Price 12+ | Each 36+ | 96+ |
| | 1+ | Price | Price Each |

Continued