
| multicomp Part NO. | PART NO. | | REVISIONS | | | | | | | | | |
|--------------------|------------|-------|-----------|-------------|-------|---------|--------|---------|--------|---------|--|--|
| | | ECN # | REV | DESCRIPTION | DRAWN | DATE | CHECKD | DATE | APPRVD | DATE | | |
| | BC2 Series | - | Α | RELEASED | Veena | 31/5/05 | Shashi | 31/5/05 | NK | 14/6/05 | | |
| | | | | | | | | | | | | |




Features:

- Hand Held Case with Battery Compartment and Battery Clip/Pocket Clip Option.
- Moulded in high-impact Black, White or Grey ABS with integral PP3 battery compartment accessible by a separate removable cover.
- Clip-in battery terminals are supplied as standard.
- Textured finish.
- No visible fixing screws for excellent final product appearance.
- The pocket clip, if required, can be easily fixed to the case by the two self-tapping screws supplied.
- The two main halves of the case are held together by the two self-tapping screws supplied which are concealed by the battery cover.
- Four integral location pegs and sockets will hold a PCB in place without any further fixing.
- The overall finish of the case is matt with highlighted feature panels making it ideal for personalised products.

| This data sheet and its contents (the "Information") belong to the Premier Famell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with- out notice and replaces all data sheets previously supplied. The Information supplied is | TOLERANCES: UNLESS OTHERWISE | DRAWN BY: Veena | DATE: 31/05/05 | DRAWING TITLE: | BC2 Series - M | liniature, Case | |
|---|---------------------------------|-----------------------|-------------------|----------------|----------------|---------------------------|------|
| believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or ornission from it or for any use made of it. Users of this data sheet should check for themselves the information and the suitability of the pro- ucts for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information on Complexity of the Complexity | DIMENSIONS ARE | CHECKED BY: Shashi | DATE: 31/05/05 | SIZE DWG NO. | M100000138 | ELECTRONIC FILE 23408_DWG | REV |
| | PURPOSES ONLY. | APPROVED BY: NK | DATE: 14/06/05 | SCALE: NTS | U.O.M.: mm | SHEET: 1 OI | IF 4 |

| multicomp Part NO. | PART NO. | | REVISIONS | | | | | | | | | |
|--------------------|------------|-------|-----------|-------------|-------|---------|--------|---------|--------|---------|--|--|
| | | ECN # | REV | DESCRIPTION | DRAWN | DATE | CHECKD | DATE | APPRVD | DATE | | |
| | BC2 Series | - | А | RELEASED | Veena | 31/5/05 | Shashi | 31/5/05 | NK | 14/6/05 | | |
| | | | | | | | | | | | | |




Dimensions : Millimetres


ABS Polymers Specification Acrylonitrile-Butadiene-Styrene

| Properties | Test Method | Unit | Impact Resistant Grades |
|---|---------------------------|-------------------|-------------------------------|
| | | | 103 |
| Izod Impact Strength +23°C -20°C | ISO 180/3A ASTM D256/A | kJ/m ² | 17 11 |
| Tensile Strength at Yield | ISO R527 ASTM D638 | N/mm ² | 50 |
| Elongation at Yield | ISO R527 ASTM D638 | % | 6 |
| Flexural Strength | ISO 178 ASTM D790 | N/mm ² | 87 |
| Rockwell Hardness | ISO 2039/2 ASTM D785 | R scale | 112 |
| Heat Deflection Temperature Unannealed Annealed | ISO 75/A ASTM D648 | °C | 90 97 |
| Vicat Softening Temperature | ISO 306/B ASTM D1525 | °C | 97 |
| Density | ISO R1183 ASTM D792/A | kg/m ³ | 1,050 |
| Melt Flow Index | ISO 1133 ASTM D1238 | dg/min | 13 |

| This data sheet and its contents (the "Information") belong to the Premier Famell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for | TOLERANCES: | DRAWN BY: | DATE: | DRAWING TITLE: | | | |
|--|---------------------------------|--------------|----------|----------------|----------------|-----------------|--------|
| information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with | UNLESS OTHERWISE | Veena | 31/05/05 | | BC2 Series - N | liniature, Case | 9 |
| out notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this | SPECIFIED, | CHECKED BY: | DATE: | SIZE DWG NO. | | ELECTRONIC FILE | REV |
| data sheet should check for themselves the Information and the suitability of the prod- ucts for their purpose and not make any assumptions based on information included or | DIMENSIONS ARE FOR REFERENCE | Shashi | 31/05/05 | Δ | M1000000138 | 23408 DWG | |
| omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit | PURPOSES ONLY. | APPROVED BY: | DATE: | | | | |
| or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004. | | NK | 14/06/05 | SCALE: NTS | U.O.M.: mm | SHEET: | 2 OF 4 |

| | PART NO. | | REVISIONS | | | | | | | | | |
|--|------------|-------|-----------|-------------|-------|---------|--------|---------|--------|---------|--|--|
| | BC2 Series | ECN # | REV | DESCRIPTION | DRAWN | DATE | CHECKD | DATE | APPRVD | DATE | | |
| | | - | А | RELEASED | Veena | 31/5/05 | Shashi | 31/5/05 | NK | 14/6/05 | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |







Dimensions : Millimetres

Part Number Table

| Colour | Length (L) | Width (W) | Height (H) | Maximum PCB Size | Part Number |
|----------------|---------------|--------------|---------------|------------------|-------------|
| Black | | | | | BC2 |
| Grey (RAL9002) | 103 | 62 | 23 | 64 x 56 | BC2LG |
| White | | | | | BC2W |

Dimensions : Millimetres

| This data sheet and its contents (the "Information") belong to the Premier Famell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with- is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or ornission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the prod- ucts for their purpose and not make any assumptions based on information included or use of it (including liability resulting from any reliance on the Information or use of it (including liability resulting from megligence or where the Group was aware of the possibility of such oss or damage resulting) is excluded. This will not operate to limit | TOLERANCES: | DRAWN BY: | DATE: | DRAWING TITLE: | | | |
|---|--------------------|--------------|----------|----------------|------------------|-----------------|------|
| | LINI ESS OTHERWISE | Veena | 31/05/05 |] | /liniature, Case | | |
| | | CHECKED BY: | DATE: | SIZE DWG NO. | | ELECTRONIC FILE | REV |
| | | Shashi | 31/05/05 | Δ | M100000138 | 23408 DWG | |
| | | APPROVED BY: | DATE: | | | | |
| or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group. © Premier Farnell plc 2004. | | NK | 14/06/05 | SCALE: NTS | U.O.M.: mm | SHEET: 3 C | OF 4 |

| multicomp Part NO. | PART NO. | | REVISIONS | | | | | | | | | |
|--------------------|------------|-------|-----------|-------------|-------|---------|--------|---------|--------|---------|--|--|
| | | ECN # | REV | DESCRIPTION | DRAWN | DATE | CHECKD | DATE | APPRVD | DATE | | |
| | BC2 Series | - | Α | RELEASED | Veena | 31/5/05 | Shashi | 31/5/05 | NK | 14/6/05 | | |
| | | | | | | | | | | | | |

Notes:

International Sales Offices:

| AUSTRALIA – Farnell InOne | GERMANY – Farnell InOne | SINGAPORE – Farnell-Newark InOne |
|-------------------------------|--|-------------------------------------|
| Tel No: ++ 61 2 9645 8888 | Tel No: ++ 49 89 61 39 39 39 | Tel No: ++ 65 6788 0200 |
| Fax No: ++ 61 2 9644 7898 | Fax No: ++ 49 89 613 59 01 | Fax No: ++ 65 6788 0300 |
| AUSTRIA – Farnell InOne | HONG KONG - | SPAIN – Farnell InOne |
| Tel No: ++ 43 662 2180 680 | Farnell-Newark InOne Tel No: ++ 852 2268 9888 | Tel No: ++ 34 93 475 8805 |
| Fax No: ++ 43 662 2180 670 | Fax No: ++ 852 2268 9899 | Fax No: ++ 34 93 474 5107 |
| | Fax NO: ++ 652 2266 9699 | |
| BELGIUM – Farnell InOne | IRELAND – Farnell InOne | SWEDEN – Farnell InOne |
| Tel No: ++ 32 3 475 2810 | Tel No: ++ 353 1 830 9277 | Tel No: ++ 46 8 730 50 00 |
| Fax No: ++ 32 3 227 3648 | Fax No: ++ 353 1 830 9016 | Fax No: ++ 46 8 83 52 62 |
| BRAZIL – Farnell-Newark InOne | ITALY – Farnell InOne | SWITZERLAND - Farnell In |
| Tel No: ++ 55 11 4066 9400 | Tel No: ++ 39 02 93 995 200 | Tel No: ++ 41 1 204 64 64 |
| Fax No: ++ 55 11 4066 9410 | Fax No: ++ 39 02 93 995 300 | Fax No: ++ 41 1 204 64 54 |
| | | |
| CHINA – Farnell-Newark InOne | MALAYSIA – Farnell-Newark InOne | UK – Farnell InOne |
| Tel No: ++86 10 6238 5152 | Tel No: ++ 60 3 7873 8000 | Tel No: ++ 44 8701 200 200 |
| Fax No: ++86 10 6238 5022 | Fax No: ++ 60 3 7873 7000 | Fax No: ++ 44 8701 200 201 |
| DENMARK – Farnell InOne | NETHERLANDS – Farnell InOne | UK – BuckHickman InOn |
| Tel No: ++ 45 44 53 66 44 | Tel No: ++ 31 30 241 7373 | ++ 44 8450 510 150 |
| Fax No: ++ 45 44 53 66 06 | Fax No: ++ 31 30 241 7333 | ++ 44 8450 510 130 |
| ESTONIA – Farnell InOne | NEW ZEALAND – Farnell InOne | UK-CPC |
| Tel No: ++ 358 9 560 7780 | Tel No: ++ 64 9 357 0646 | ++ 44 8701 202 530 |
| Fax No: ++ 358 9 345 5411 | Fax No: ++ 64 9 357 0656 | ++ 44 8701 202 531 |
| FINLAND – Farnell InOne | NORWAY – Farnell InOne | |
| Tel No: ++ 358 9 560 7780 | Tel No: ++ 45 44 53 66 66 | |
| Fax No: ++ 358 9 345 5411 | Fax No: ++ 45 44 53 66 02 | |
| TAX NO. TT 000 0 040 0411 | 1 ax 140. TT 40 44 00 00 02 | |
| FRANCE – Farnell InOne | PORTUGAL – Farnell InOne | |
| Tel No: ++ 33 474 68 99 99 | Tel No: ++ 34 93 475 8804 | |
| Fax No: ++ 33 474 68 99 90 | Fax No: ++ 34 93 474 5288 | |
| | | e |
| EXPORT - Fa | arnell InOne http://ww | w.farnellinone.com |
| export Tel No: ++ 44 | 4 8701 200 208 | |

| | EXPOR | T – Farnell InOne |
|--------------|---------|--------------------|
| export | Tel No: | ++ 44 8701 200 208 |
| | Fax No: | ++ 44 8701 200 209 |
| For enquirie | s from | all other markets |

http://www.buckhickmaninone.com

http://www.cpc.co.uk

| This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for | TOLERANCES: | DRAWN BY: | DATE: | DRAWING TITLE: | | | |
|---|---------------------------------|--------------|----------|----------------|-----------------|-----------------|------|
| information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change with- | UNLESS OTHERWISE | Veena | 31/05/05 | | liniature, Case | | |
| out notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this | SPECIFIED, | CHECKED BY: | DATE: | SIZE DWG NO. | | ELECTRONIC FILE | REV |
| data sheet should check for themselves the Information and the suitability of the prod- ucts for their purpose and not make any assumptions based on information included or | DIMENSIONS ARE FOR REFERENCE | Shashi | 31/05/05 | | M100000138 | 23408 DWG | |
| childed Elability for loce of damage redating formation of the monitation of | PURPOSES ONLY. | APPROVED BY: | DATE: | | | | |
| The possibility of such loss of carriage ansing) is excluded. This will not operate to infit or restrict the Group's liability for death or personal injury resulting from its negligence. MULTICOMP is the registered trademark of the Group. © Premier Famell plc 2004. | | NK | 14/06/05 | SCALE: NTS | U.O.M.: mm | SHEET: 4 O |)F 4 |