


SERIES 505 Dial type Caliper



Measurement applications

Easy to read dial makes this caliper ideal for measurement applications where a scale would be difficult to read

Series 505 Metric models

Range	No.	Grad.	Range/Rev.
150mm	505-633-50	0.05mm	5mm
200mm	505-634-50	0.05mm	5mm
300mm	505-635-50	0.05mm	5mm
150mm	505-646-50	0.02mm	2mm
200mm	505-647-50	0.02mm	2mm
150mm	505-666	0.01mm	1mm
200mm	505-667	0.01mm	1mm

Features

Easy to read dial

High precision jewelled bearing mechanism

Clear graduations on satin chrome finish

Thumb wheel and locknut

Hardened with Stainless Finish

Incorporates Quadri feature


Accuracy

0-200mm 0.02 Graduation \pm 0.03mm

0-300mm 0.05 Graduation \pm 0.05mm

0-150mm 0.01 Graduation \pm 0.02mm

0-200mm 0.01 Graduation \pm 0.03mm



RANGE	A	B	C	D	E	F	G
0-150MM	231	77	16.5	40	53.5	38.5	16
0-200MM	288	90.5	20	50	53.5	38.5	16
0-300MM	403	111	22	64	53.5	43.6	20


ALL MEASUREMENTS
IN MM

close window



Quadri Feature

The Quadri Feature allows four ways of measuring. When a workpiece measurement is being taken, this feature allows exactly the same measurement result to be given in each of the four measurement methods.



© Mitutoyo UK Ltd 2000