


RECOMMENDED HOLE LAYOUT FOR .070/(1.78) MAX. THICK P. C. BOARD
VIEWED FROM COMPONENT SIDE

| CIRCUIT SIZE | DIM. "A" | DIM. "B" | DIM. "C" |
|--------------|-------------|-------------|---------------|
| 2 | — | .21 (5.4) | .370 (9.40) |
| 4 | .17 (4.2) | .38 (9.6) | .535 (13.60) |
| 6 | .33 (8.4) | .54 (13.8) | .701 (17.80) |
| 8 | .50 (12.6) | .71 (18.0) | .866 (22.00) |
| 10 | .66 (16.8) | .87 (22.2) | 1.031 (26.20) |
| 12 | .83 (21.0) | 1.04 (26.4) | 1.197 (30.40) |
| 14 | .99 (25.2) | 1.20 (30.6) | 1.362 (34.60) |
| 16 | 1.16 (29.4) | 1.37 (34.8) | 1.528 (38.80) |
| 18 | 1.32 (33.6) | 1.54 (39.0) | 1.693 (43.00) |
| 20 | 1.49 (37.8) | 1.70 (43.2) | 1.858 (47.20) |
| 22 | 1.65 (42.0) | 1.87 (47.4) | 2.024 (51.40) |
| 24 | 1.82 (46.2) | 2.03 (51.6) | 2.189 (55.60) |

NOTES:

- HOUSING MATERIAL:
 "BLANK" - NYLON 6/6, U.L. 94V-2, COLOR: NATURAL.
 210 - NYLON 6/6, U.L. 94V-0, COLOR: NATURAL.
 BL - NYLON 6/6, U.L. 94V-2, COLOR: BLACK.
 TERMINAL MATERIAL: BRASS
- TERMINAL PLATING:
 "BLANK" - .000035/(.00090) MIN. TIN OVER .000020/(.00050) MIN. COPPER.
 GS - .000030/(.00076) MIN. SELECT GOLD .000100/(.00254) MIN. SELECT MATTE TIN OVER .000050/(.00127) MIN. NICKEL OVERALL.
 GS2 - .000015/(.00038) MIN. SELECT GOLD AND .000100/(.00254) MIN. SELECT MATTE TIN OVER .000050/(.00127) MIN. NICKEL OVERALL.
 S - .000100/(.00254) MIN. TIN OVER .000050/(.00127) MIN. NICKEL.
- PRODUCT SPECIFICATION: PS-5556-001
- PACKAGING: SEE CHARTS
- PART MATES WITH MINI-FIT JR. RECEPTACLE #5557.
- MOUNTING OPTIONS:
 "BLANK" - NO MOUNTING (SEE SD-5566-002 DWG.)
 2 - PEG MOUNT
- PART CONFORMS TO CLASS "B" REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002
- ANTI-SHINGLING RIB MAY OR MAY NOT APPEAR ON HOUSINGS.
- CONNECTORS ARE NOT TO BE MATED OR UNMATED WHILE CIRCUITS ARE LIVE.
- PARTS ARE NOT DESIGNED FOR CURRENT SHARING.

LEGEND:



| | | |
|---------------------|-------------|-----------------|
| ADD STANDOFFS | 2012/01/17 | QUALITY SYMBOLS |
| EC NO: UCP2012-2241 | DRW:NGUYEN | ▽=0 |
| CHKD:JBELL | 2012/01/17 | ▽=0 |
| APPR:FSMITH | 2012/01/19 | ▽=0 |
| REV | DESCRIPTION | |
| R4 | | |

| | |
|--|--------|
| GENERAL TOLERANCES (UNLESS SPECIFIED) | |
| mm | INCH |
| 4 PLACES ± --- | ± --- |
| 3 PLACES ± --- | ± .015 |
| 2 PLACES ± 0.38 | ± .015 |
| 1 PLACE ± 0.38 | ± --- |
| ANGULAR ±1/2° | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | |

| | |
|-----------------|------------|
| DIMENSION STYLE | |
| IN/MM | |
| DRAWN BY | DATE |
| RJF | 8/19/87 |
| CHECKED BY | DATE |
| GT | 8/19/87 |
| APPROVED BY | DATE |
| FSMITH | 2012/01/10 |
| MATERIAL NO. | |
| SIZE | |
| SEE SHTS 2-4 | |

| | | |
|---|--------------|------------------------|
| SCALE | DESIGN UNITS | THIRD ANGLE PROJECTION |
| 4:1 | METRIC | |
| TITLE | | |
| MINI-FIT JR. VERTICAL HEADER ASSEMBLIES WITH MOUNTING PEGS | | |
| MOLEX MOLEX INCORPORATED | | |
| DOCUMENT NO. | SHEET NO. | |
| SDA-5566-N*2*-* | 1 OF 4 | |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | |

| 13 | 12 | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 | | | |
|----------------|------------|-------------------------|----|----------------|----------------|-------------------------|---|----------------|--------------|-------------------------|---|----------------|------------------|-------------------------|--|
| PLATING: | | 35 M.I. TIN | | PLATING: | | 35 M.I. TIN | | PLATING: | | 30 M.I. GOLD | | PLATING: | | 30 M.I. GOLD | |
| DRAIN HOLES: | | WITHOUT DRAIN HOLES | | DRAIN HOLES: | | WITHOUT DRAIN HOLES | | DRAIN HOLES: | | WITHOUT DRAIN HOLES | | DRAIN HOLES: | | WITHOUT DRAIN HOLES | |
| MTG. OPTION: | | WITH PEGS | | MTG. OPTION: | | WITH PEGS | | MTG. OPTION: | | WITH PEGS | | MTG. OPTION: | | WITH PEGS | |
| HOUSING MAT'L: | | NYLON 6/6 94V-2 NATURAL | | HOUSING MAT'L: | | NYLON 6/6 94V-0 NATURAL | | HOUSING MAT'L: | | NYLON 6/6 94V-2 NATURAL | | HOUSING MAT'L: | | NYLON 6/6 94V-0 NATURAL | |
| PACKAGING: | | PK-5566-001 | | PACKAGING: | | PK-5566-001 | | PACKAGING: | | PK-5566-001 | | PACKAGING: | | PK-5566-001 | |
| PART NO. | ENG NO. | CKTS | | PART NO. | ENG NO. | CKTS | | PART NO. | ENG NO. | CKTS | | PART NO. | ENG NO. | CKTS | |
| 39-29-9023 | 5566 -02A2 | 2 | | 39-29-9027 | 5566 -02A2-210 | 2 | | 39-29-9025 | 5566 -02A2GS | 2 | | 39-29-9029 | 5566 -02A2GS-210 | 2 | |
| 39-29-9043 | 5566 -04A2 | 4 | | 39-29-9047 | 5566 -04A2-210 | 4 | | 39-29-9045 | 5566 -04A2GS | 4 | | 39-29-9049 | 5566 -04A2GS-210 | 4 | |
| 39-29-9063 | 5566 -06A2 | 6 | | 39-29-9067 | 5566 -06A2-210 | 6 | | 39-29-9065 | 5566 -06A2GS | 6 | | 39-29-9069 | 5566 -06A2GS-210 | 6 | |
| 39-29-9083 | 5566 -08A2 | 8 | | 39-29-9087 | 5566 -08A2-210 | 8 | | 39-29-9085 | 5566 -08A2GS | 8 | | 39-29-9089 | 5566 -08A2GS-210 | 8 | |
| 39-29-9103 | 5566 -10A2 | 10 | | 39-29-9107 | 5566 -10A2-210 | 10 | | 39-29-9105 | 5566 -10A2GS | 10 | | 39-29-9109 | 5566 -10A2GS-210 | 10 | |
| 39-29-9123 | 5566 -12A2 | 12 | | 39-29-9127 | 5566 -12A2-210 | 12 | | 39-29-9125 | 5566 -12A2GS | 12 | | 39-29-9129 | 5566 -12A2GS-210 | 12 | |
| 39-29-9143 | 5566 -14A2 | 14 | | 39-29-9147 | 5566 -14A2-210 | 14 | | 39-29-9145 | 5566 -14A2GS | 14 | | 39-29-9149 | 5566 -14A2GS-210 | 14 | |
| 39-29-9163 | 5566 -16A2 | 16 | | 39-29-9167 | 5566 -16A2-210 | 16 | | 39-29-9165 | 5566 -16A2GS | 16 | | 39-29-9169 | 5566 -16A2GS-210 | 16 | |
| 39-29-9183 | 5566 -18A2 | 18 | | 39-29-9187 | 5566 -18A2-210 | 18 | | 39-29-9185 | 5566 -18A2GS | 18 | | 39-29-9189 | 5566 -18A2GS-210 | 18 | |
| 39-29-9203 | 5566 -20A2 | 20 | | 39-29-9207 | 5566 -20A2-210 | 20 | | 39-29-9205 | 5566 -20A2GS | 20 | | 39-29-9209 | 5566 -20A2GS-210 | 20 | |
| 39-29-9223 | 5566 -22A2 | 22 | | 39-29-9227 | 5566 -22A2-210 | 22 | | 39-29-9225 | 5566 -22A2GS | 22 | | 39-29-9229 | 5566 -22A2GS-210 | 22 | |
| 39-29-9243 | 5566 -24A2 | 24 | | 39-29-9247 | 5566 -24A2-210 | 24 | | 39-29-9245 | 5566 -24A2GS | 24 | | 39-29-9249 | 5566 -24A2GS-210 | 24 | |
| | - | | | | - | | | | - | | | | - | | |
| | - | | | | - | | | | - | | | | - | | |

| | | | | | | | | | | | | | | | |
|----------------|------------|-------------------------|--|----------------|----------------|-------------------------|--|----------------|--------------|-------------------------|--|----------------|------------------|-------------------------|--|
| PLATING: | | 35 M.I. TIN | | PLATING: | | 35 M.I. TIN | | PLATING: | | 30 M.I. GOLD | | PLATING: | | 30 M.I. GOLD | |
| DRAIN HOLES: | | WITH DRAIN HOLES | | DRAIN HOLES: | | WITH DRAIN HOLES | | DRAIN HOLES: | | WITH DRAIN HOLES | | DRAIN HOLES: | | WITH DRAIN HOLES | |
| MTG. OPTION: | | WITH PEGS | | MTG. OPTION: | | WITH PEGS | | MTG. OPTION: | | WITH PEGS | | MTG. OPTION: | | WITH PEGS | |
| HOUSING MAT'L: | | NYLON 6/6 94V-2 NATURAL | | HOUSING MAT'L: | | NYLON 6/6 94V-0 NATURAL | | HOUSING MAT'L: | | NYLON 6/6 94V-2 NATURAL | | HOUSING MAT'L: | | NYLON 6/6 94V-0 NATURAL | |
| PACKAGING: | | PK-5566-001 | | PACKAGING: | | PK-5566-001 | | PACKAGING: | | PK-5566-001 | | PACKAGING: | | PK-5566-001 | |
| PART NO. | ENG NO. | CKTS | | PART NO. | ENG NO. | CKTS | | PART NO. | ENG NO. | CKTS | | PART NO. | ENG NO. | CKTS | |
| 39-29-9022 | 5566 -02B2 | 2 | | 39-29-9026 | 5566 -02B2-210 | 2 | | 39-29-9024 | 5566 -02B2GS | 2 | | 39-28-9028 | 5566 -02B2GS-210 | 2 | |
| 39-29-9042 | 5566 -04B2 | 4 | | 39-29-9046 | 5566 -04B2-210 | 4 | | 39-29-9044 | 5566 -04B2GS | 4 | | 39-28-9048 | 5566 -04B2GS-210 | 4 | |
| 39-29-9062 | 5566 -06B2 | 6 | | 39-29-9066 | 5566 -06B2-210 | 6 | | 39-29-9064 | 5566 -06B2GS | 6 | | 39-28-9068 | 5566 -06B2GS-210 | 6 | |
| 39-29-9082 | 5566 -08B2 | 8 | | 39-29-9086 | 5566 -08B2-210 | 8 | | 39-29-9084 | 5566 -08B2GS | 8 | | 39-28-9088 | 5566 -08B2GS-210 | 8 | |
| 39-29-9102 | 5566 -10B2 | 10 | | 39-29-9106 | 5566 -10B2-210 | 10 | | 39-29-9104 | 5566 -10B2GS | 10 | | 39-28-9108 | 5566 -10B2GS-210 | 10 | |
| 39-29-9122 | 5566 -12B2 | 12 | | 39-29-9126 | 5566 -12B2-210 | 12 | | 39-29-9124 | 5566 -12B2GS | 12 | | 39-28-9128 | 5566 -12B2GS-210 | 12 | |
| 39-29-9142 | 5566 -14B2 | 14 | | 39-29-9146 | 5566 -14B2-210 | 14 | | 39-29-9144 | 5566 -14B2GS | 14 | | 39-28-9148 | 5566 -14B2GS-210 | 14 | |
| 39-29-9162 | 5566 -16B2 | 16 | | 39-29-9166 | 5566 -16B2-210 | 16 | | 39-29-9164 | 5566 -16B2GS | 16 | | 39-28-9168 | 5566 -16B2GS-210 | 16 | |
| 39-29-9182 | 5566 -18B2 | 18 | | 39-29-9186 | 5566 -18B2-210 | 18 | | 39-29-9184 | 5566 -18B2GS | 18 | | 39-28-9188 | 5566 -18B2GS-210 | 18 | |
| 39-29-9202 | 5566 -20B2 | 20 | | 39-29-9206 | 5566 -20B2-210 | 20 | | 39-29-9204 | 5566 -20B2GS | 20 | | 39-28-9208 | 5566 -20B2GS-210 | 20 | |
| 39-29-9222 | 5566 -22B2 | 22 | | 39-29-9226 | 5566 -22B2-210 | 22 | | 39-29-9224 | 5566 -22B2GS | 22 | | 39-28-9228 | 5566 -22B2GS-210 | 22 | |
| 39-29-9242 | 5566 -24B2 | 24 | | 39-29-9246 | 5566 -24B2-210 | 24 | | 39-29-9244 | 5566 -24B2GS | 24 | | 39-28-9248 | 5566 -24B2GS-210 | 24 | |
| | - | | | | - | | | | - | | | | - | | |
| | - | | | | - | | | | - | | | | - | | |

| | | | | | | | |
|--|--------------------|-----------------|--|---|---|------------------------|------------------------|
| SEE SHEET 1 EC NO: UCP2012-2241 DRAWN: NGUYEN 2012/01/17 CHKD: J.BELL 2012/01/17 APPR: FSMITH 2012/01/19 | DESCRIPTION REV | QUALITY SYMBOLS | GENERAL TOLERANCES (UNLESS SPECIFIED) | DIMENSION STYLE IN/MM | SCALE 1:1 | DESIGN UNITS METRIC | THIRD ANGLE PROJECTION |
| | | ▽=0 | mm INCH | DRAWN BY DATE RJF 8/19/87 | TITLE MINI-FIT JR. VERTICAL HEADER ASSEMBLIES WITH MOUNTING PEGS | | |
| | | ▽=0 | 4 PLACES ± --- ± --- | CHECKED BY DATE GT 8/19/87 | MOLEX MOLEX INCORPORATED | | |
| | | ▽=0 | 3 PLACES ± --- ± .015 | APPROVED BY DATE FSMITH 2012/01/10 | | | |
| | | | 2 PLACES ± 0.38 ± .015 | MATERIAL NO. | DOCUMENT NO. | SHEET NO. | |
| | | | 1 PLACE ± 0.38 ± --- | SEE CHART | SDA-5566-N*2*-* | 2 OF 4 | |
| | | | ANGULAR ± 1/2° | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | |
| | | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | | | |

| 13 | 12 | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
|----|----|----|----|---|---|---|---|---|---|---|---|---|
|----|----|----|----|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | |
|---|--|-------------|------|--|-----------------|------|--|---------------|------|--|-------------------|------|---|--|
| | 13 | 12 | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 | |
| J | PLATING: 100 M.I. BRIGHT TIN | | | PLATING: 100 M.I. BRIGHT TIN | | | PLATING: 15 M.I. SELECT GOLD | | | PLATING: 15 M.I. SELECT GOLD | | | | |
| | DRAIN HOLES: WITHOUT DRAIN HOLES | | | DRAIN HOLES: WITHOUT DRAIN HOLES | | | DRAIN HOLES: WITHOUT DRAIN HOLES | | | DRAIN HOLES: WITHOUT DRAIN HOLES | | | | |
| | MTG. OPTION: WITH PEGS | | | MTG. OPTION: WITH PEGS | | | MTG. OPTION: WITH PEGS | | | MTG. OPTION: WITH PEGS | | | | |
| | HOUSING MAT'L: NYLON 6/6 94V-2 NATURAL | | | HOUSING MAT'L: NYLON 6/6 94V-0 NATURAL | | | HOUSING MAT'L: NYLON 6/6 94V-2 NATURAL | | | HOUSING MAT'L: NYLON 6/6 94V-0 NATURAL | | | | |
| | PACKAGING: PK-5566-001 | | | PACKAGING: PK-5566-001 | | | PACKAGING: PK-5566-001 | | | PACKAGING: PK-5566-001 | | | | |
| I | PART NO. | ENG NO. | CKTS | PART NO. | ENG NO. | CKTS | PART NO. | ENG NO. | CKTS | PART NO. | ENG NO. | CKTS | | |
| | 39-30-6025 | 5566 -02A2S | 2 | 39-30-6026 | 5566 -02A2S-210 | 2 | 39-30-0026 | 5566 -02A2GS2 | 2 | 39-30-0027 | 5566 -02A2GS2-210 | 2 | | |
| | 39-30-6045 | 5566 -04A2S | 4 | 39-30-6046 | 5566 -04A2S-210 | 4 | 39-30-0046 | 5566 -04A2GS2 | 4 | 39-30-0047 | 5566 -04A2GS2-210 | 4 | | |
| | 39-30-6065 | 5566 -06A2S | 6 | 39-30-6066 | 5566 -06A2S-210 | 6 | 39-30-0066 | 5566 -06A2GS2 | 6 | 39-30-0067 | 5566 -06A2GS2-210 | 6 | | |
| | 39-30-6085 | 5566 -08A2S | 8 | 39-30-6086 | 5566 -08A2S-210 | 8 | 39-30-0086 | 5566 -08A2GS2 | 8 | 39-30-0087 | 5566 -08A2GS2-210 | 8 | | |
| | 39-30-6105 | 5566 -10A2S | 10 | 39-30-6106 | 5566 -10A2S-210 | 10 | 39-30-0106 | 5566 -10A2GS2 | 10 | 39-30-0107 | 5566 -10A2GS2-210 | 10 | | |
| | 39-30-6125 | 5566 -12A2S | 12 | 39-30-6126 | 5566 -12A2S-210 | 12 | 39-30-0126 | 5566 -12A2GS2 | 12 | 39-30-0127 | 5566 -12A2GS2-210 | 12 | | |
| | 39-30-6145 | 5566 -14A2S | 14 | 39-30-6146 | 5566 -14A2S-210 | 14 | 39-30-0146 | 5566 -14A2GS2 | 14 | 39-30-0147 | 5566 -14A2GS2-210 | 14 | | |
| | 39-30-6165 | 5566 -16A2S | 16 | 39-30-6166 | 5566 -16A2S-210 | 16 | 39-30-0166 | 5566 -16A2GS2 | 16 | 39-30-0167 | 5566 -16A2GS2-210 | 16 | | |
| | 39-30-6185 | 5566 -18A2S | 18 | 39-30-6186 | 5566 -18A2S-210 | 18 | 39-30-0186 | 5566 -18A2GS2 | 18 | 39-30-0187 | 5566 -18A2GS2-210 | 18 | | |
| | 39-30-6205 | 5566 -20A2S | 20 | 39-30-6206 | 5566 -20A2S-210 | 20 | 39-30-0206 | 5566 -20A2GS2 | 20 | 39-30-0207 | 5566 -20A2GS2-210 | 20 | | |
| | 39-30-6225 | 5566 -22A2S | 22 | 39-30-6226 | 5566 -22A2S-210 | 22 | 39-30-0226 | 5566 -22A2GS2 | 22 | 39-30-0227 | 5566 -22A2GS2-210 | 22 | | |
| | 39-30-6245 | 5566 -24A2S | 24 | 39-30-6246 | 5566 -24A2S-210 | 24 | 39-30-0246 | 5566 -24A2GS2 | 24 | 39-30-0247 | 5566 -24A2GS2-210 | 24 | | |
| | - | - | - | - | - | - | - | - | - | - | - | - | | |

| | | | | | | | | | | | | | |
|---|--|-------------|------|--|-----------------|------|--|---------------|------|--|-------------------|------|--|
| G | PLATING: 100 M.I. BRIGHT TIN | | | PLATING: 100 M.I. BRIGHT TIN | | | PLATING: 15 M.I. SELECT GOLD | | | PLATING: 15 M.I. SELECT GOLD | | | |
| | DRAIN HOLES: WITH DRAIN HOLES | | | DRAIN HOLES: WITH DRAIN HOLES | | | DRAIN HOLES: WITH DRAIN HOLES | | | DRAIN HOLES: WITH DRAIN HOLES | | | |
| | MTG. OPTION: WITH PEGS | | | MTG. OPTION: WITH PEGS | | | MTG. OPTION: WITH PEGS | | | MTG. OPTION: WITH PEGS | | | |
| | HOUSING MAT'L: NYLON 6/6 94V-2 NATURAL | | | HOUSING MAT'L: NYLON 6/6 94V-0 NATURAL | | | HOUSING MAT'L: NYLON 6/6 94V-2 NATURAL | | | HOUSING MAT'L: NYLON 6/6 94V-0 NATURAL | | | |
| | PACKAGING: PK-5566-001 | | | PACKAGING: PK-5566-001 | | | PACKAGING: PK-5566-001 | | | PACKAGING: PK-5566-001 | | | |
| F | PART NO. | ENG NO. | CKTS | PART NO. | ENG NO. | CKTS | PART NO. | ENG NO. | CKTS | PART NO. | ENG NO. | CKTS | |
| | 39-30-6027 | 5566 -02B2S | 2 | 39-30-6028 | 5566 -02B2S-210 | 2 | 39-30-0028 | 5566 -02B2GS2 | 2 | 39-30-0029 | 5566 -02B2GS2-210 | 2 | |
| | 39-30-6047 | 5566 -04B2S | 4 | 39-30-6048 | 5566 -04B2S-210 | 4 | 39-30-0048 | 5566 -04B2GS2 | 4 | 39-30-0049 | 5566 -04B2GS2-210 | 4 | |
| | 39-30-6067 | 5566 -06B2S | 6 | 39-30-6068 | 5566 -06B2S-210 | 6 | 39-30-0068 | 5566 -06B2GS2 | 6 | 39-30-0069 | 5566 -06B2GS2-210 | 6 | |
| | 39-30-6087 | 5566 -08B2S | 8 | 39-30-6088 | 5566 -08B2S-210 | 8 | 39-30-0088 | 5566 -08B2GS2 | 8 | 39-30-0089 | 5566 -08B2GS2-210 | 8 | |
| | 39-30-6107 | 5566 -10B2S | 10 | 39-30-6108 | 5566 -10B2S-210 | 10 | 39-30-0108 | 5566 -10B2GS2 | 10 | 39-30-0109 | 5566 -10B2GS2-210 | 10 | |
| | 39-30-6127 | 5566 -12B2S | 12 | 39-30-6128 | 5566 -12B2S-210 | 12 | 39-30-0128 | 5566 -12B2GS2 | 12 | 39-30-0129 | 5566 -12B2GS2-210 | 12 | |
| | 39-30-6147 | 5566 -14B2S | 14 | 39-30-6148 | 5566 -14B2S-210 | 14 | 39-30-0148 | 5566 -14B2GS2 | 14 | 39-30-0149 | 5566 -14B2GS2-210 | 14 | |
| | 39-30-6167 | 5566 -16B2S | 16 | 39-30-6168 | 5566 -16B2S-210 | 16 | 39-30-0168 | 5566 -16B2GS2 | 16 | 39-30-0169 | 5566 -16B2GS2-210 | 16 | |
| | 39-30-6187 | 5566 -18B2S | 18 | 39-30-6188 | 5566 -18B2S-210 | 18 | 39-30-0188 | 5566 -18B2GS2 | 18 | 39-30-0189 | 5566 -18B2GS2-210 | 18 | |
| | 39-30-6207 | 5566 -20B2S | 20 | 39-30-6208 | 5566 -20B2S-210 | 20 | 39-30-0208 | 5566 -20B2GS2 | 20 | 39-30-0209 | 5566 -20B2GS2-210 | 20 | |
| | 39-30-6227 | 5566 -22B2S | 22 | 39-30-6228 | 5566 -22B2S-210 | 22 | 39-30-0228 | 5566 -22B2GS2 | 22 | 39-30-0229 | 5566 -22B2GS2-210 | 22 | |
| | 39-30-6247 | 5566 -24B2S | 24 | 39-30-6248 | 5566 -24B2S-210 | 24 | 39-30-0248 | 5566 -24B2GS2 | 24 | 39-30-0249 | 5566 -24B2GS2-210 | 24 | |
| | - | - | - | - | - | - | - | - | - | - | - | - | |

| | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| D | | | | | | | | | | | | | | |
| C | | | | | | | | | | | | | | |
| B | | | | | | | | | | | | | | |
| A | | | | | | | | | | | | | | |

SEE SHEET 1
 EC NO: UCP2012-2241
 DRAWING: 2012/01/17
 CHKD: J.BELL 2012/01/17
 APPR: FSMITH 2012/01/19

| | | | |
|-----------------|-----|-----|-----|
| QUALITY SYMBOLS | ▽=0 | ▽=0 | ▽=0 |
| | ▽=0 | ▽=0 | ▽=0 |

| | | | | |
|---|---------------------------------|-----------------------|-------------------------------|--|
| GENERAL TOLERANCES (UNLESS SPECIFIED) | DIMENSION STYLE IN/MM | SCALE 1:1 | DESIGN UNITS METRIC | THIRD ANGLE PROJECTION |
| 4 PLACES ± --- | mm INCH | DRAWN BY RJF | DATE 8/19/87 | TITLE MINI-FIT JR. VERTICAL HEADER ASSEMBLIES WITH MOUNTING PEGS |
| 3 PLACES ± --- | ±.015 | CHECKED BY GT | DATE 8/19/87 | MOLEX MOLEX INCORPORATED |
| 2 PLACES ± 0.38 | ±.015 | APPROVED BY FSMITH | DATE 2012/01/10 | |
| 1 PLACE ± 0.38 | ± --- | MATERIAL NO. | DOCUMENT NO. | SHEET NO. |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | SEE CHART | | SDA-5566-N*2*-* |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | |

